Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

CLASSIFICATION SECRET
SECURITY INFORMATION
CENTRAL INTELLIGENCE AGENCY

INFORMATION REPORT

REPORT

CD NO. 50X1-HUM

COUNTRY East Germany

DATE DISTR. 16 October 1953

SUBJECT Supply Reports for HV EKM Ministry of Heavy Machine Construction

NO. OF PAGES 7

PLACE ACQUIRED

NO. OF ENCLS. (LISTED BELOW)

DATE OF INFO.

SUPPLEMENT TO REPORT NO. 50X1-HUM

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES, WITHIN THE MEANING OF TITLE 18, SECTIONS 793 AND 794, OF THE U. S. CODE, AS AMENDED. ITS TRANSMISSION OR REVELATION OF ITS CONTENTS TO OR RECEIPT BY AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW. THE REPRODUCTION OF THIS FORM IS PROHIBITED.

THIS IS UNEVALUATED INFORMATION 50X1-HUM

1. The attachments give the supply reports for the HV EKM of the East German Ministry of Heavy Machine Construction for January, February and March 1953. These reports are turned in each month on so-called M-32 forms.

2. The M-32 supply report is turned in each month by individual factories under EKM and is based on plant inventories (Betriebsgeschehens). The data included in the report are supposed to be based on a disposition card catalogue kept at the factories, in accordance with an East German law.

3. The Material Procurement Section of HV EKM receives from each plant under its jurisdiction such a supply form filled out for the month in question; HV EKM then collates the reports from its factories. The HV EKM final report has to be in by the 8th of each month. Since factories sometimes send in their reports late, it often happens that the HV cannot turn in its collation by the required date, namely, the 15th of each month. During January and February 1953 collations were still made for VVB factories by the VVB Administration, i.e., plants under VVB EKM turned in their reports for collation to VVB EKM Headquarters in Halle, which then turned in its report to the Ministry. For this reason it was impossible for the Material Procurement Section of the Ministry to eliminate many errors in figures which occurred. Since 31 March 1953 all M-32 forms have been sent directly from the factories to the Ministry itself, which now has the task of collating the figures and making up a final supply report for the month.

4. An examination of the attachments will reveal numerous inconsistencies, mainly because of the former practice of having the VVB Headquarters make up supply reports for the factories under their jurisdiction. In the future, however, M-32 reports should show no discrepancies when compared with each other, and henceforth the M-32 supply reports should be 90 to 95 per cent correct.

Comment. The attachments were reproduced exactly as submitted, including all of the obvious arithmetical errors. 50X1-HUM

50X1-HUM

CLASSIFICATION SECRET

STATE	X	NAVY	X	NSRB		DISTRIBUTION			ORR Ev	x			
ARMY	X	AIR	X	FBI									

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

50X1-HUM
Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

Page Denied

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

50X1-HUM

ATTACHMENT
Page 1

SECURITY INFORMATION

	Unit of Quantity	Total 1953 Allocations	Delivery Contracts Concluded	Inventory 1 Jan. 53	Material Received Since 1 Jan. 1953 On Basis of Allocations	Material Received Since 1 Jan. 1953 Other-wise	Material Used Since 1 Jan. 1952 Used in Plants	Material Used Since 1 Jan. 1952 Otherwise	Inventory 31 Jan. 53
Bituminous coal	tons	4,470.0	69.5	607.7	70.8	7.5	295.4	-	394.6
Anthracite	"	-	-	-	-	-	-	-	-
Furnace coke	"	5,500.0	2,650.0	847.6	225.0	-	476.9	83.0	532.7
Retort-oven coke	"	5,490.0	2,936.0	1,170.4	392.9	-	728.5	12.0	822.3
Crude lignite	"	40,850.0	20,020.0	2,867.1	2,454.4	109.3	4,012.2	241.0	1,177.6
Dehydrated coal	"	-	-	-	-	-	-	-	-
Lignite briquettes and powdered lignite	"	40,900.0	18,045.0	3,181.7	6,816.5	52.5	7,206.6	290.9	2,553.0
Lignite - low temperature coke	"	1,585.0	1,585.0	41.7	57.0	-	76.2	22.5	22.5
Lignite - high temperature coke	"	-	-	-	-	-	-	-	-
Foundry pig iron	"	7,495.0	6,220.0	887.5	636.9	23.9	566.4	1,079.9	1,070.9
Semi-finished products for forging and stamping works	tons	400.0	399.0	214.4	-	9.4	60.9	-	162.0
Profiles, "U" and "I", NP 6-18	"	4,590.0	1,243.2	631.7	258.9	58.0	185.9	22.3	927.8
Profiles, "U" and "I", NP over 20	"	8,376.0	1,264.9	1,933.9	199.1	152.2	354.9	60.5	1,868.9
Bar steel, general purpose, up to 30 mm.	"	3,851.9	727.1	554.4	59.0	28.9	80.4	58.7	552.3
Bar steel, general purpose, over 30 mm.	"	9,752.0	3,878.3	2,829.1	347.9	331.5	680.4	85.8	2,127.2
Bar steel of high-grade steel	"	822.3	313.1	736.2	26.2	20.8	57.9	5.8	719.5
Band steel, warm rolled	"	67.0	32.2	27.3	-	-	1.8	-	27.2
Rolled wire	"	40.0	17.4	4.2	0.5	0.2	0.4	-	4.5
Boiler plate	"	17,800.0	6,936.1	292.7	526.7	208.8	709.0	159.1	3,164.3
Ship's plate	"	-	-	-	-	-	-	-	-
Other plate with acceptance specifications	"	1,140.0	209.2	218.4	155.8	-	76.8	17.5	279.1
Heavy plate, 5 mm. and over	"	19,670.0	4,045.0	5,649.2	1,362.2	610.9	2,417.2	79.2	5,345.9
Medium plate, 3-5 mm.	"	9,530.0	1,883.3	675.4	420.0	102.0	353.2	7.0	837.6
Dynamo plate	"	144.0	65.0	18.1	-	-	7.6	-	10.4
Transformer plate	"	400.0	135.0	96.8	4.6	-	76.9	-	24.9
Drawn and deep-drawn plate	"	228.5	94.0	86.2	11.6	11.4	18.8	0.1	90.1
Light plate 0.9 - 3 mm.	"	6,698.1	1,855.9	446.5	340.0	115.8	191.2	7.6	683.5
Light plate under 0.9 mm.	"	405.0	326.3	50.3	53.6	0.5	6.1	-	98.6
Seamless pipes, rolled, pressed, drawn	"	9,892.2	3,355.6	2,663.3	305.5	305.7	621.6	17.4	2,375.4
Welded gas and water main pipes	"	2,152.0	156.0	152.6	24.1	2.2	28.8	4.0	146.3
Band steel, cold rolled	"	79.0	67.7	11.2	19.5	0.2	1.4	-	29.5
Drawn bar steel products (without silver steel)	"	486.0	285.5	216.8	35.7	11.5	80.0	0.3	267.4

SECRET

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

50X1-HUM
Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

Page Denied

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

50X1-HUM

	Unit of Quantity	Total 1953 Allocations	Delivery Contracts Concluded	Inventory 1 Jan. 53	Material Received Since 1 Jan. 1952 On Basis of Allocations	Material Received Since 1 Jan. 1952 Otherwise	Material Used Since 1 Jan. 1952 Used in Plants	Material Used Since 1 Jan. 1952 Otherwise	Inventory 31 Mar. 52
Bituminous coal	tons	982.9	727.5	601.2	220.6	32.8	573.8	-	280.8
Anthracite	"	-	-	-	-	15.6	10.3	-	5.3
Furnace coke	"	5,400.0	3,292.5	827.6	839.8	92.0	1,444.4	92.8	222.2
Retort-oven coke	"	5,455.0	4,040.0	1,137.1	1,190.8	65.2	1,965.8	54.6	372.7
Crude lignite	"	34,885.0	24,060.0	2.709.4	10,695.9	321.9	11,231.9	255.2	2,142.1
Dehydrated coal	"	-	-	-	-	-	-	-	-
Lignite briquettes and powdered lignite	"	39,890.0	32,701.0	3,045.7	18,901.5	165.9	19,720.0	101.7	2,291.3
Lignite - low temperature coke	"	1,585.0	1,585.0	41.7	346.0	-	264.2	-	123.5
Lignite - high temperature coke	"	-	-	-	-	-	-	-	-
Foundry pig iron	"	7,510.0	5,120.0	897.5	2,047.9	108.0	1,838.1	44.0	1,171.3
Semi-finished products for forging and stamping works	tons	400.0	370.8	214.4	43.9	14.1	159.3	-	113.1
Profiles, "U" and "I", NP 8-18	"	4,663.3	1,569.9	840.8	704.9	205.4	767.6	77.9	883.6
Profiles, "U" and "I", NPoover 20	"	8,203.0	2,205.6	1,958.2	1,255.2	519.6	1,357.9	151.2	2,223.0
Bar steel, general purpose, up to 30 mm.	"	1,947.9	776.3	811.9	229.2	77.6	265.6	89.4	559.7
Bar steel, general purpose, over 30 mm.	"	9,700.0	4,627.0	3,519.3	1,641.1	877.8	2,104.4	314.8	3,639.0
Bar steel of high-grade steel	"	823.4	479.8	735.1	71.0	70.7	186.0	58.7	632.1
Band steel, warm rolled	"	67.0	24.9	27.2	0.5	0.6	3.7	0.4	24.2
Rolled wire	"	81.2	20.4	4.0	3.1	0.4	1.5	-	6.0
Boiler plate	"	17,252.0	9,281.8	3,283.5	5,980.6	1,410.3	3,554.4	1,110.5	6,009.5
Ship's plate	"	-	-	-	-	-	-	-	-
Misc. plate with acceptance specifications	"	954.0	530.7	218.4	354.9	1.4	252.9	17.6	304.2
Heavy plate, 5 mm. and over	"	20,066.0	495.1	5,697.7	4,43216	3,186.3	7,733.7	506.2	5,076.7
Medium plate, 3-5 mm.	"	3,506.6	1.844.7	712.7	878.8	309.9	1,068.3	56.3	776.8
Dynamo plate	"	79.0	63.0	5.3	-	-	5.3	-	-
Transformer plate	"	400.0	139.0	95.5	39.6	-	127.4	3.1	4.6
Drawn and deep-drawn plate	"	160.5	44.4	86.2	66.7	37.2	89.7	11.2	89.2
Light plate 0.9 - 3 mm.	"	6,318.3	2,063.2	454.0	978.1	191.5	922.2	72.8	627.7
Light plate under 0.9 mm.	"	167.7	72.6	51.9	59.9	0.5	23.0	16.2	73.2
Seamless pipes, rolled, pressed, drawn	"	10,097.7	5,874.6	2,594.8	3,311.9	1,163.0	2,774.8	137.7	4,157.2
Welded gas and water main pipes	"	1,743.0	445.6	152.6	97.3	32.5	11.1	6.8	164.5
Band steel, cold rolled	"	77.9	47.4	12.9	22.4	1.3	15.2	-	21.4
Drawn bar steel products (w/o silver steel)	"	474.0	276.4	221.8	123.5	42.3	150.6	14.6	222.2

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

50X1-HUM
Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

Page Denied

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

50X1-HUM

SECURITY INFORMATION

	Unit of Quantity	Total 1953 Allocations	Delivery Contracts Concluded	Inventory 1 Jan. 53	Material Received Since 1 Jan. 1953 On Basis of Allocations	Material Received Since 1 Jan. 1953 Otherwise	Material Used Since 1 Jan. 1953 Used in Plants	Material Used Since 1 Jan. 1953 Otherwise	Inventory 31 Mar. 53
Bituminous coal	tons	982.9	727.5	601.2	220.6	32.8	573.8	-	280.8
Anthracite	"	-	-	-	-	15.6	10.3	-	5.3
Furnace coke	"	5,400.0	3,292.5	827.6	839.8	92.0	1,444.4	92.8	222.2
Retort-oven coke	"	5,455.0	4,040.0	1,137.1	1,190.8	65.2	1,965.8	54.6	372.7
Brown lignite	"	34,885.0	24,060.0	2.709.4	10,695.9	321.9	11,231.9	255.2	2,142.1
Dehydrated coal	"	-	-	-	-	-	-	-	-
Lignite briquettes and powdered lignite	"	39,390.0	32,701.0	3,045.7	18,901.5	165.9	19,720.0	101.7	2,291.3
Lignite - low temperature coke	"	1,585.0	1,585.0	41.7	346.0	-	264.2	-	123.5
Lignite - high temperature coke	"	-	-	-	-	-	-	-	-
Foundry pig iron	"	7,510.0	5,120.0	897.5	2,047.9	108.0	1,838.1	44.0	1,171.3
Semi-finished products for forging and stamping works	tons	400.0	370.8	214.4	43.9	14.1	159.3	-	113.1
Steel piles, "U" and "I", NP 8-18	"	4,663.3	1,569.9	840.8	704.9	205.4	787.6	77.9	885.6
Steel piles, "U" and "I", NPoover 20	"	8,203.0	2,205.6	1,958.2	1,255.2	519.6	1,357.9	151.2	2,223.0
Bar steel, general purpose, up to 30 mm.	"	1,947.9	776.3	611.9	229.2	77.6	265.6	83.4	569.7
Bar steel, general purpose, over 30 mm.	"	9,700.0	4,627.0	3,519.3	1,641.1	877.8	2,104.4	314.8	3,619.0
Bar steel of high-grade steel	"	826.4	479.8	735.1	71.0	70.7	186.0	58.7	632.1
Wide steel, warm rolled	"	67.0	24.9	27.2	0.5	0.6	3.7	0.4	24.2
Rolled wire	"	81.2	20.4	4.0	3.1	0.4	1.5	-	6.0
Boiler plate	"	17,252.0	9,281.8	3,283.5	5,980.6	1,410.3	3,554.4	1,110.5	6,009.5
Ship's plate	"	-	-	-	-	-	-	-	-
Sheet plate with acceptance specifications	"	954.0	530.7	218.4	354.9	1.4	252.9	17.6	304.2
Heavy plate, 5 mm. and over	"	20,066.0	495.1	5,697.7	4,43216	3,186.3	7,733.7	506.2	5,076.7
Medium plate, 3-5 mm.	"	3,506.6	1.844.7	712.7	878.8	309.9	1,068.3	56.3	776.8
Dynamo plate	"	79.0	63.0	5.3	-	-	5.3	-	-
Transformer plate	"	400.0	139.0	95.5	39.6	-	127.4	3.1	4.6
Drum and deep-drawn plate	"	160.5	44.4	86.2	66.7	37.2	89.7	11.2	89.2
Sheet plate 0.9 - 3 mm.	"	6,318.3	2,063.2	454.0	978.1	191.5	922.2	73.8	627.7
Sheet plate under 0.9 mm.	"	167.7	72.6	51.9	59.9	0.5	23.0	16.1	73.2
Seamless pipes, rolled, pressed, drawn	"	10,097.7	5,874.6	2,594.8	3,311.9	1,163.0	2,774.8	137.7	4,157.2
Welded gas and water main pipes	"	1,743.0	445.6	152.6	97.3	32.5	11.1	6.8	164.5
Band steel, cold rolled	"	77.9	47.4	12.9	22.4	1.3	15.2	-	21.4
Drawn bar steel products (w/o silver steel)	"	474.0	276.4	221.8	123.5	42.3	150.8	14.6	222.2

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

50X1-HUM
Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

Page Denied

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

50X1-HUM

ATTACHMENT
Page 2

SECURITY INFORMATION

	Unit of Quantity	Total 1953 Allocations	Delivery Contracts Concluded	Inventory 1 Jan. 53	Material Received Since 1 Jan. 1953 On Basis of Allocations	Material Received Since 1 Jan. 1953 Otherwise	Material Used Since 1 Jan. 1953 Used in Plants	Material Used Since 1 Jan. 1953 Otherwise	Inventory 28 Feb. 53
Pipes, redrawn cold	tons	173.7	148.6	51.8	4.0	0.9	31.2	-	25.5
TOTAL SEMI-FINISHED PRODUCTS & ROLLED STEELS	"	87,825.6	31,660.1	21,277.0	10,000.3	4,045.9	13,012.4	1,207.9	21,102.9
Refined and electrolytic copper	tons	-	-	-	2.1	-	-	-	2.1
Refined and electrolytic lead	"	-	-	0.5	-	-	-	-	0.5
Zinc and zinc alloys	"	-	-	-	-	-	-	-	-
Crude tin	"	0.1	0.1	0.4	-	-	-	-	0.4
Nickel	kg.	-	-	-	-	-	-	-	-
Aluminum & aluminum alloys from recastings	tons	1.0	-	5.0	-	-	-	5.0	-
Aluminum and aluminum alloys from ores	"	-	-	-	-	-	-	-	-
Brass and tombac	-	-	-	-	-	-	-	-	-
Red brass (Rg-5-basis)	tons	1.0	1.0	5.1	-	-	-	-	5.1
Bearing metal (WM 80)	"	5.0	1.5	2.6	1.3	1.6	1.8	-	3.7
Soldering tin (30% basis)	kg.	3,350.0	2,550.0	434.9	100.0	-	279.5	16.0	239.4
Rolled products of copper	tons	99.3	62.4	22.6	7.7	0.2	7.2	2.4	20.9
Rolled products of brass	"	232.4	113.3	22.8	21.5	0.1	22.1	0.1	22.2
Rolled products of aluminum & aluminum alloys	"	4.3	2.5	8.4	0.4	0.5	0.3	4.5	4.5
Welding electrodes	"	815.7	522.5	213.5	127.5	18.7	139.3	15.1	205.3
Machined threaded bolts	kg.	130,000.0	83,500.0	76,695.7	15,554.1	5,068.9	16,307.7	1,310.8	79,895.2
Wood screws	"	4,153.0	465.0	1,407.7	501.3	58.0	143.8	20.4	1,794.8
Drawn steel wire under 100 kg.tensile strength	tons	3.7	1.0	7.7	0.2	1.6	1.4	0.3	7.8
Drawn steel wire over 100 kg.tensile strength	"	1.9	0.8	2.1	-	0.5	0.4	0.4	1.8
AC motors, 1 - 10 kW	each	9,693.0	5,400.0	829.0	676.0	133.0	636.0	18.0	984.0
AC motors, 10 - 50 kW	"	1,397.0	714.0	139.0	135.0	22.0	128.0	18.0	150.0
AC motors, 50 - 100 kW	"	489.0	263.0	69.0	12.0	11.0	61.0	-	31.0
DC motors and gensrators up to 10 kW	"	236.0	222.0	58.0	3.0	2.0	13.0	-	55.0
Electric power cables	1,000 m.	-	-	0.3	-	-	0.1	-	0.2
Insulated wires, lines and wire coverings	"	910.6	373.0	237.5	24.9	12.8	65.0	1.0	209.2
Varnished wire and winding copper	kg.	8,580.0	2,542.5	4,326.0	2,374.0	2,363.0	1,243.0	108.0	7,712.0
Coniferous lumber	cu. m.	1,450.0	1,145.0	303.2	147.9	41.0	242.2	10.0	239.9
Oak lumber	"	-	-	37.2	-	-	2.3	-	34.9
Beech lumber	"	101.0	52.0	75.5	7.4	-	15.8	-	67.1
Misc. deciduous lumbers	"	130.0	70.0	117.1	24.4	-	32.3	-	109.2

SECRET

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

50X1-HUM
Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

Page Denied

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

50X1-HUM

SECURITY INFORMATION

	Unit of Quantity	Total 1953 Allocations	Delivery Contracts Concluded	Inventory 1 Jan. 53	Material Received Since 1 Jan. 1953 On Basis of Allocations	Material Received Since 1 Jan. 1953 Otherwise	Material Used Since 1 Jan. 1953 Used in Plants	Material Used Since 1 Jan. 1953 Otherwise	Inventory 28 Feb. 53
Pipes, redrawn cold	tons	173.7	148.6	51.8	4.0	0.9	31.2	-	25.5
TOTAL SEMI-FINISHED PRODUCTS & ROLLED STEELS	"	87,825.6	31,660.1	21,277.0	10,000.3	4,045.9	13,012.4	1,207.9	21,102.9
Refined and electrolytic copper	tons	-	-	-	2.1	-	-	-	2.1
Refined and electrolytic lead	"	-	-	0.5	-	-	-	-	0.5
Zinc and zinc alloys	"	-	-	-	-	-	-	-	-
Crude tin	"	0.1	0.1	0.4	-	-	-	-	0.4
Nickel	kg.	-	-	-	-	-	-	-	-
Aluminum & aluminum alloys from recastings	tons	1.0	-	5.0	-	-	-	5.0	-
Aluminum and aluminum alloys from ores	"	-	-	-	-	-	-	-	-
Brass and tombac	-	-	-	-	-	-	-	-	-
Red brass (Rg-5-basis)	tons	1.0	1.0	5.1	-	-	-	-	5.1
Bearing metal (WM 80)	"	5.0	1.5	2.6	1.3	1.6	1.8	-	3.7
Soldering tin (30% basis)	kg.	3,350.0	2,550.0	434.9	100.0	-	279.5	16.0	239.4
Rolled products of copper	tons	99.3	62.4	22.6	7.7	0.2	7.2	2.4	20.9
Rolled products of brass	"	232.4	113.3	22.8	21.5	0.1	22.1	0.1	22.2
Rolled products of aluminum & aluminum alloys	"	4.3	2.5	8.4	0.4	0.5	0.3	4.5	4.5
Welding electrodes	"	815.7	522.5	213.5	127.5	18.7	139.3	15.1	205.3
Machined threaded bolts	kg.	130,000.0	83,500.0	76,690.7	15,554.1	5,068.9	16,307.7	1,310.8	79,895.2
Wood screws	"	4,153.0	465.0	1,407.7	501.3	58.0	143.8	20.4	1,794.8
Drawn steel wire under 100 kg. tensile strength	tons	3.7	1.0	7.7	0.2	1.6	1.4	0.3	7.8
Drawn steel wire over 100 kg. tensile strength	"	1.9	0.8	2.1	-	0.5	0.4	0.4	1.8
AC motors, 1 - 10 kW	each	9,693.0	5,400.0	829.0	676.0	132.0	636.0	13.0	984.0
AC motors, 10 - 50 kW	"	1,807.0	714.0	139.0	135.0	22.0	128.0	13.0	150.0
AC motors, 50 - 100 kW	"	489.0	263.0	69.0	12.0	11.0	61.0	-	31.0
DC motors and generators up to 10 kW	"	236.0	222.0	58.0	8.0	2.0	13.0	-	55.0
Electric power cables	1,000 m.	-	-	0.3	-	-	0.1	-	0.2
Insulated wires, lines and wire coverings	"	910.6	373.0	237.5	24.9	12.8	65.0	1.0	209.2
Varnished wire and winding copper	kg.	8,580.0	2,342.5	4,326.0	2,374.0	2,363.0	1,243.0	108.0	7,712.0
Coniferous lumber	cu. m.	1,450.0	1,145.0	303.2	147.9	41.0	242.2	10.0	239.9
Oak lumber	"	-		37.2	-	-	2.3	-	34.9
Beech lumber	"	101.0	52.0	75.5	7.4	-	15.8	-	67.1
Misc. deciduous lumbers	"	130.0	70.0	117.1	24.4	-	32.3	-	109.2

SECRET

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

50X1-HUM
Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

Page Denied

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

50X1-HUM

ATTACHMENT
Page 1

SECURITY INFORMATION

	Unit of Quantity	Total 1953 Allocations	Delivery Contracts Concluded	Inventory 1 Jan. 53	Material Received Since 1 Jan. 1953 On Basis of Allocations	Material Received Since 1 Jan. 1953 Other-wise	Material Used Since 1 Jan. 1953 Used in Plants	Material Used Since 1 Jan. 1953 Otherwise	Inventory 28 Feb. 53
Bituminous coal	tons	400.0	200.0	158.0	60.0	19.0	119.2	-	117.8
Anthracite	"	-	-	-	-	-	-	-	-
Furnace coke	"	500.0	-	87.0	43.0	-	71.4	-	58.6
Retort-oven coke	"	490.0	470.0	112.0	61.0	-	115.5	-	57.5
Crude lignite	"	1,850.0	400.0	76.0	218.0	-	231.0	-	63.0
Dehydrated coal	"	-	-	-	-	-	-	-	-
Lignite briquettes and powdered lignite	"	17,900.0	10,800.0	1,069.0	7,229.8	43.0	7,634.3	-	707.5
Lignite - low temperature coke	"	-	-	-	-	-	-	-	-
Lignite - high temperature coke	"	-	-	-	-	-	-	-	-
Foundry pig iron	"	1,275.0	210.0	59.2	194.4	-	138.7	-	114.9
Semi-finished products for forging and stamping works	tons	400.0	400.0	186.0	0.6	9.6	105.6	-	90.6
Profiles, "U" and "I", NP 8-18	"	4,598.0	1,278.1	831.5	547.8	141.1	456.3	36.3	1,027.8
Profiles, "U" and "I", NP over 20	"	7,998.0	1,751.4	1,947.4	562.7	327.6	886.8	70.3	1,880.6
Bar steel, general purpose, up to 30 mm.	"	2,041.8	786.1	608.9	113.9	55.9	167.6	57.5	553.6
Bar steel, general purpose, over 30 mm.	"	9,752.0	4,321.3	5,417.1	804.7	558.0	1,075.5	150.8	3,553.1
Bar steel of high-grade steel	"	822.2	407.7	736.2	51.4	62.6	111.0	61.8	677.4
Band steel warm rolled	"	67.0	29.0	25.7	0.5	-	2.5	0.1	23.6
Rolled wire	"	31.2	19.7	4.0	0.5	0.2	0.8	-	3.9
Boiler plate	"	17,280.0	7,729.0	3,285.5	1,839.7	411.0	1,558.2	473.7	3,502.3
Ship's plate	"	-	-	-	-	-	-	-	-
Other plate with acceptance specifications	"	1,050.0	158.2	218.4	149.2	4.1	155.3	17.6	198.8
Heavy plate, 5 mm. and over	"	19,360.0	4,572.6	5,650.0	2,782.0	1,597.4	4,881.0	203.4	4,943.0
Medium plate, 3-5 mm.	"	3,330.0	1,912.3	677.0	673.3	196.3	863.9	38.7	644.0
Dynamo plate	"	124.0	86.0	18.1	-	-	10.3	-	7.8
Transformer plate	"	400.0	139.0	96.8	16.7	-	95.9	-	17.6
Drawn and deep-drawn plate	"	223.5	47.7	86.2	20.1	11.4	38.8	3.0	75.9
Light plate 0.9 - 3 mm.	"	6,698.1	2,019.4	405.2	520.8	144.7	654.6	18.3	397.8
Light plate under 0.9 mm.	"	406.0	38.8	51.1	53.6	0.5	11.8	0.1	93.5
Seamless pipes, rolled, pressed, drawn	"	9,902.2	5,225.1	2,595.4	1,716.9	496.0	1,453.1	62.8	3,287.4
Welded gas and water main pipes	"	1,832.7	180.7	152.6	48.0	2.8	62.2	4.0	137.2
Band steel, cold rolled	"	77.0	67.8	11.5	20.0	1.2	11.8	-	20.9
Drawn bar steel products (without silver steel)	"	485.3	256.8	222.6	73.5	24.3	101.5	7.2	211.7

SECRET

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

50X1-HUM
Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

Page Denied

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

50X1-HUM

	Unit of Quantity	Total 1953 Allocations	Delivery Contrrats Concluded	Inventory 1 Jan. 53	Material Received Since 1 Jan. 1953 On Basis of Allocations	Material Received Since 1 Jan. 1953 Otherwise	Material Used Since 1 Jan. 1953 Used in Plants	Material Used Since 1 Jan. 1953 Otherwise	Inventory 31 Jan. 53
Pipes, redrawn cold	tons	172.0	29.9	50.6	1.9	0.7	21.7	-	30.9
TOTAL SEMI-FINISHED PRODUCTS & ROLLED STEELS	-	88,382.5	274,707.9	21,330.9	4,187.8	1,849.2	6,206.5	502.9	20,630.2
Refined and electrolytic copper	tons	15.5	10.5	0.1	2.1	-	-	-	2.2
Refined and electrolytic lead	"	12.0	0.3	1.2	-	-	0.1	-	1.0
Zinc and zinc alloys	"	300.0	300.0	12.2	-	0.3	7.0	3.0	2.5
Crude tin	"	0.6	0.5	0.5	-	-	0.1	-	0.4
Nickel	kg.	100.0	100.0	74.0	-	-	-	-	74.0
Aluminum and alloys from recastings	tons	83.5	81.0	12.9	7.4	-	8.5	5.0	6.8
Aluminum and aluminum alloys from ore	"	-	-	3.4	-	-	0.2	-	3.2
Brass and tombac	-	3.0	3.0	0.9	-	-	-	-	0.9
Red brass (Rg 5)	tons	40.0	30.0	13.8	5.7	-	3.4	-	16.1
Boaring metal (WM 80)	"	7.0	6.9	3.3	1.4	1.1	1.3	-	4.5
Soldering tin (30% basis)	kg.	22,850.1	19,857.0	1,191.8	1,224.0	21.0	197.0	15.0	1,638.8
Rolled products of copper	tons	305.9	254.5	674.4	6.0	1.3	11.3	0.9	62.5
Rolled products of brass	"	138.2	110.3	60.6	15.8	0.7	16.3	2.4	59.3
Rolled products of aluminum & aluminum alloys	"	75.7	65.4	13.0	2.9	1.2	3.9	-	9.2
Welding electrodes	"	504.1	384.8	193.7	5.9	23.7	81.9	1.4	202.9
Machined threaded bolts	kg.	405,000.0	179,637.0	161,677.7	15,406.2	3,764.8	23,264.4	3,888.0	154,626.3
Wood screws	"	7,121.0	1,859.0	2,654.7	10.2	178.0	114.6	-	2,728.1
Steel wire, drawn, under 100 kg. tensile strength	tons	15.7	8,220.5	14.8	1.1	2.1	1.5	0.3	16.2
Drawn steel wire over 100 kg. tensile strength	"	10.8	1.7	3.9	-	0.5	0.2	0.4	3.8
AC motors, 1 - 10 kW	each	8,956.0	4,044.0	872.0	273.0	78.0	308.0	16.0	856.0
AC motors, 10 - 50 kW	"	1,614.0	534.0	139.0	69.0	9.0	68.0	18.0	131.0
AC motors, 50 - 100 kW	"	466.0	232.0	69.0	5.0	7.0	38.0	-	43.0
DC motors and generators up to 10 kW	"	50.0	48.0	58.0	4.0	1.0	6.0	-	57.0
Electric power cables	1,000 m	-	-	0.3	-	-	-	-	0.3
Insulated wires, lines and wire coverings	"	633.1	344.2	237.1	15.5	2.8	29.6	0.4	225.5
Varnished wire and winding copper	kg.	10,300.0	2,900.0	4,326.0	80.0	2,132.0	474.0	-	6,064.0
Coniferous lumber	cu. m.	4,465.0	2,150.0	1,530.9	490.7	169.6	619.0	8.9	1,563.3
Oak lumber	"	-	-	34.0	-	-	1.9	-	37.6
Beech lumber	"	316.0	102.6	121.6	0.5	1.2	5.7	-	117.6
Misc. deciduous lumbers	"	170.0	134.0	198.5	28.3	-	12.1	-	215.2

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

50X1-HUM
Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0

Page Denied

Declassified in Part - Sanitized Copy Approved for Release 2013/08/01 : CIA-RDP80-00810A002500970010-0